



Quality Rides With You

Black Metal for Harley-Davidson Slim and Blackline

Summary

Intro	3
Advice.....	3
Installation Kit.....	3
Installation.....	4
Saddlebag	4
Rear axle cover	4
Leather Care	5
Advice.....	5
Regular Treatment.....	5
Intensive Treatment.....	5

Intro

Advice


If not accustomed to this kind of mechanical practice, please go to an Harley-Davidson dealer or call a professional.

The use of loctite is recommended on every threaded part

Installation Kit

Kit includes:


- 3 bolts
- 2 spacers
- 1 washer



Installation

Saddlebag

Unscrew bolt "B" and substitute bolt "A" with the provided bolt "1" and its spacer



Insert the provided bolt "2" inside the saddlebag

Insert the fork shake bracket under bolt "1" making sure that the spacer stays between the fender and the bracket, then place the second spacer on bolt "2" and tight both bolts



On motorcycles equipped with detachable sissy bar:

- Substitute bolt "A" with bolt "2"
- Insert bolt "3" inside the bag
- Substitute the provided spacers with the sissy bar bushing

Rear axle cover

Remove the plastic cover located on the axle bolt

Apply loctite on the grab screws

Place the cover on the nut making sure that the screws are centered on each bolt side

Tight the screws with a 3mm hex key

Leather Care

Advice

In order to make your saddle bag, seat, or leather accessory last forever, you need to make sure of two things:

- That it has been correctly installed.
- Make sure to keep your leather treated and moistured.

Generally, during riding season, we recommend to take care of your bags with a leather revitalizing treatment once every three months. However, especially during the winter and in the summer, we advice to treat your leather bag after every long trip. Is also very important for your saddlebag to get treated right after riding in the rain. It is very important to treat new saddlebags; this kind of treatment keeps the bag water resistant, prevents color from fading, and keeps leather moistured.

Regular Treatment

The treatment consist in four steps:

- Wipe the dirt off the saddlebag by using a wet cloth. Please remember that warm water helps to remove dirt; do not try to scratch dirt off.
 - Let it dry
 - Apply our revitalizing oil. Pour some product on a sponge (please remember that is crucial to avoid rough sponges) and spread it on the saddlebag surface; the area must be moist so, every time it starts to feel dry, pour some more product on the sponge. Make sure to completely moisturize the whole bag. This is a crucial point to help your saddlebag last in time, and to restore its water repellency.
 - Let it dry and then use a cloth to gently remove the patina
-

Intensive Treatment

An intensive revitalizing treatment is needed when a saddlebag needs to get its original shape and color back:

- Make sure to work on a waterproof surface, a plastic table cloth will be fine, because all the liquid materials could fall on the working surface.
- Fill the bucket with warm water. Water temperature is very important, it must not be too warm because it could damage the leather of your bag. A temperature that is good for your hands, will be good for your saddlebag as well.
- Completely submerge the bag in the bucket.
- When the leather feels soft and ductile, pull it out the water and fill it with bubble wrap. It is very important to fill it well: plastic needs to completely fill the bag, allowing you - once the bag is closed - to reshape the bag applying a gentle pressure on the areas that need to be reshaped.
- Let the saddlebag dry. This allows leather to restore its original consistency.
- Apply our revitalizing oil. Pour some product on a sponge (please remember that is crucial to avoid rough sponges) and spread it on the saddlebag surface; the area must be moist so, every time it starts to feel dry, pour some more product on the sponge. Make sure to completely moisturize the whole bag. This is a crucial point to help your saddlebag last in time, and to restore its water repellency.
- Wait for the leather care product to dry.